

Outdoor Fiber Optic Cross connect cabinet

Quick Details

Place of Origin: Shenzhen, China (Mainland);

Brand Name: OPTICO;

Product name: Fiber Optic Cross Connection Cabinet;

Material:SMC;

Color: Silver;

Temperature range: -40~65°C;

Core: 288 core;


Weight: 40-70KGS;

Installation: Wall/Floor/Pole Mounted;

Certificate: CE, ISO9001: 2008;

Price Term: FOB;

Payment Terms: T/T, 30% deposit, 70% balance before shipment;



Outdoor Fiber Optic Cross Connect Cabinet

Product Description

Fiber optic cross cabinet is used for connecting trunk and distribution optical fiber cable. It carries out the function of splicing, storage, and distribution. It is mainly used in the CATV, telecommunication equipment room and network equipment room.fiber optic junction box;

Features:

High quality;

12 ports one tray;

30 degree installation of adaptors, preventing eyes from laser hurt;

Easy to operate and convenient maintenance;

The tray suitable for FC, SC adaptors;optic junction box;

Good design for inner structure;

SMC housing is of high protective performance (stainless steel material by thermal compression molding process also is available);

Good waterproof performance;

General Information:

Dimension: 750(L)*300(W)*1435(H)mm.(288 ports);

Accessories: heat shrinkable protection sleeves;
Operation temperature: -40~+60°C;
Relative humidity: ≤95%(40°C);
Insulated resistance: ≥2x10000M/500V(DC) distribution box;

Application

Telecommunication
CATV



Packaging & Delivery

Packaging Details

Packaging Details: Standard Cartons, or we accept customized package for fiber optic terminal cabinet

Delivery Time: 7~10 days

Shipping Ways:



Company Certificates:

